

# QUESTIONS FOR YOUR DOCTOR

IT CAN BE DIFFICULT TO KNOW THE RIGHT QUESTIONS to ask your doctor after being diagnosed with HER2+ breast cancer or being prescribed HERZUMA. While you may have already talked with your doctor about some of these topics, the questions that follow can be a good way to start or continue those conversations.



Take this guide with you to your next doctor appointment or infusion session to help start a discussion and get the information you need.

## EXAMPLE QUESTIONS TO ASK YOUR DOCTOR

QUESTIONS ABOUT HER2+ BREAST CANCER		QUESTIONS ABOUT HERZUMA	
1.	What stage of HER2+ breast cancer do I have?	1.	Why have I been prescribed HERZUMA?
2.	What are my treatment options?	2.	What are side effects of HERZUMA?
3.	What are the possible risks and side effects of my HER2+ breast cancer treatment options?	3.	What are possible risks and benefits of HERZUMA?
4.	What is my treatment plan?	4.	How long will I need to take HERZUMA?
5.	Where can I get more information about my treatment options and HER2+ breast cancer?	5.	Which programs can help me save on the cost of HERZUMA?

To jot down any answers or notes to these questions, see next page.

## APPROVED USES

Patients are selected for therapy with HERZUMA based on an FDA-approved test.

### Adjuvant Breast Cancer

HERZUMA is a prescription medicine used for the treatment of early-stage breast cancer that is **Human Epidermal growth factor Receptor 2-positive (HER2+)** and has spread into the lymph nodes, or is HER2-positive and has not spread into the lymph nodes. If it has not spread into the lymph nodes, the cancer needs to be estrogen receptor/progesterone receptor (ER/PR)-negative or have one high-risk feature. HERZUMA can be used in several different ways:

- As part of a treatment course including the chemotherapy drugs doxorubicin, cyclophosphamide, and either paclitaxel or docetaxel. This treatment course is known as “**AC → TH**”
- With the chemotherapy drugs docetaxel and carboplatin. This treatment course is known as “**TCH**”
- Alone after treatment with multiple other therapies, including an anthracycline (doxorubicin)-based therapy (a type of chemotherapy)

## IMPORTANT SAFETY INFORMATION

HERZUMA can cause serious side effects, including:

- **HEART PROBLEMS:** Trastuzumab products can cause heart problems—such as congestive heart failure or reduced heart function—with or without symptoms. The risk for and seriousness of these heart problems were highest in people who received both a trastuzumab product and a certain type of chemotherapy (anthracycline). In a study of adjuvant (early) breast cancer, one patient died of significantly weakened heart muscle. Your healthcare provider will check for signs of heart problems before, during, and after treatment with HERZUMA

Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED WARNINGS**, to discuss with your doctor.

## HERZUMA® (trastuzumab-pkrb) FOR INJECTION

**DOCTOR DISCUSSION GUIDE****QUESTIONS ABOUT  
HER2+ BREAST CANCER**

1. What stage of HER2+ breast cancer do I have?

---



---



---



---



---

2. What are my treatment options?

---



---



---



---



---

3. What are the possible risks and side effects of my HER2+ breast cancer treatment options?

---



---



---



---

4. What is my treatment plan?

---



---



---



---



---

5. Where can I get more information about my treatment options and HER2+ breast cancer?

---



---



---



---

**QUESTIONS ABOUT  
HERZUMA**

1. Why have I been prescribed HERZUMA?

---



---



---



---



---

2. What are side effects of HERZUMA?

---



---



---



---



---

3. What are possible risks and benefits of HERZUMA?

---



---



---



---

4. How long will I need to take HERZUMA?

---



---



---



---



---

5. Which programs can help me save on the cost of HERZUMA?

---



---



---



---



**Herzuma<sup>®</sup>**  
**(trastuzumab-pkrb)**  
For Injection • 420 mg/vial • 150 mg/vial

1.

---

---

---

---

---

2.

---

---

---

---

---

3.

---

---

---

---

---

4.

---

---

---

---

---

5.

---

---

---

---

---

1.

---

---

---

---

---

2.

---

---

---

---

---

3.

---

---

---

---

---

4.

---

---

---

---

---

5.

---

---

---

---

---

## APPROVED USES

Patients are selected for therapy with HERZUMA based on an FDA-approved test.

### Metastatic Breast Cancer

HERZUMA has 2 approved uses in metastatic breast cancer:

- HERZUMA in combination with the chemotherapy drug paclitaxel is approved for the first-line treatment of **Human Epidermal growth factor Receptor 2-positive (HER2+)** metastatic breast cancer
- HERZUMA alone is approved for the treatment of HER2-positive breast cancer in patients who have received one or more chemotherapy courses for metastatic disease

## IMPORTANT SAFETY INFORMATION (CONT)

**HERZUMA can cause serious side effects, including:**

- **INFUSION REACTIONS:** Infusion reactions, sometimes serious or fatal, have occurred. Symptoms may include: fever, chills, feeling sick to your stomach (nausea), throwing up (vomiting), pain (in some cases at tumor site), headache, dizziness, and shortness of breath. These symptoms usually happen within 24 hours after receiving HERZUMA
- **SEVERE LUNG PROBLEMS:** Trastuzumab product use can result in serious and fatal lung problems. Symptoms may include: severe shortness of breath, fluid in or around the lungs, weakening of the valve between the heart and lungs, not enough oxygen in the body, swelling of the lungs, and scarring of the lungs. Your healthcare provider may check for signs of severe lung problems
- **HARM TO UNBORN BABIES OR BIRTH DEFECTS:** Trastuzumab products may result in birth defects or the death of an unborn baby. Contraception should be used while receiving HERZUMA and for **7 months** after your last dose of HERZUMA. If you are or become pregnant while receiving HERZUMA or **within 7 months** after your last dose of HERZUMA, you should immediately contact your doctor. Patients should contact their healthcare professional with a known or suspected pregnancy
- **LOW WHITE BLOOD CELL COUNTS:** Low white blood cell counts (which may be life-threatening) were seen more often in patients receiving trastuzumab plus chemotherapy than in patients receiving chemotherapy alone. Your healthcare provider may check for signs of low white blood cell counts

**Your healthcare provider will stop treatment with HERZUMA if you have severe, serious, or life-threatening side effects.**

**The most common side effects for patients receiving HERZUMA for breast cancer include:** headache, diarrhea, feeling sick to your stomach (nausea), chills, fever, infection, weakened heart muscle, unable to sleep, cough, and rash.

These are not all of the possible side effects with HERZUMA.

Please see the HERZUMA full Prescribing Information, including **BOXED WARNINGS**.

Talk to your doctor about any side effects you may experience.

You may report side effects to FDA at 1-800-FDA-1088. You may also report side effects to Teva at 1-888-483-8279.

Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED WARNINGS**, to discuss with your doctor.



HERZUMA® is a registered trademark of Celltrion, Inc., used under license.  
© 2020 Teva Pharmaceuticals USA, Inc. TRA-40069 January 2020

